




Bearing import and Export Co., Ltd

INA RASEY60-N bearing units



RASEY60-N Bearing 2D drawings and 3D CAD models

Bearing No. RASEY60-N

Bore Diameter	60 mm
d	60 mm
S1	39,7 mm
Thread (Q)	Rp1/8
A	60 mm
A1	42 mm
B	65,1 mm
H	69,9 mm
H1	25 mm
H2	140 mm
J	190 mm
L	240 mm
N	18 mm
N1	28 mm
Weight	4,27 Kg
Basic dynamic load rating (C)	52 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	4.346
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing



Bearing import and Export Co., Ltd

Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GYE60KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Standard Shaft Height
Long Description	2 Bolt Pillow Block; 60MM Bore; 70MM Base to Center Height; Set Screw Mount; Ball Bearing; 177MM Minimum Bolt Spacing; 201.5MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rubbe
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	RASEY60
Weight / LBS	12.35
Nominal Bolt Center to Center	7.3 Inch 184 Millimeter
Bolt Spacing Minimum	6.969 Inch 177Millimeter
Bolt Spacing Maximum	7.933 Inch 201.5Millimeter
Bore	2.362 Inch 60 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Base to Center Height	2.756 Inch 70 Millimeter
Length Thru Bore	2.563 Inch 65.09



Bearing import and Export Co., Ltd

	Millimeter
--	------------