



7226 BGAF Bearing 2D drawings and 3D CAD models

130 mm x 230 mm x 40 mm SKF 7226 BGAF  
angular contact ball bearings

Bearing No. 7226 BGAF

Size	230x130x40 mm
Bore Diameter	230 mm
Outer Diameter	130 mm
Width	40 mm
d	130 mm
D	230 mm
B	40 mm
d <sub>1</sub>	168.9 mm
d <sub>2</sub>	149.57 mm
D <sub>1</sub>	192.55 mm
a	96 mm
r <sub>1,2</sub> - min.	3 mm
r <sub>3,4</sub> - min.	1.1 mm
d <sub>a</sub> - min.	144 mm
D <sub>a</sub> - max.	216 mm
D <sub>b</sub> - max.	222 mm
r <sub>a</sub> - max.	2.5 mm
r <sub>b</sub> - max.	1 mm
Basic dynamic load rating - C	186 kN
Basic static load rating - C <sub>0</sub>	193 kN
Fatigue load limit - P <sub>u</sub>	6.1 kN
Reference speed	3200 r/min
Limiting speed	3400 r/min
Calculation factor - k <sub>f</sub>	0.08



## Bearing import and Export Co., Ltd

Calculation factor - $k_a$	1.2
Calculation factor - $e$	1.14
Calculation factor - $X$	0.57
Calculation factor - $Y_0$	0.52
Calculation factor - $Y_1$	0.55
Calculation factor - $Y_2$	0.93
Calculation factor - $X$	0.35
Calculation factor - $Y_0$	0.26
Calculation factor - $Y_1$	
Calculation factor - $Y_2$	0.57
$d_1$	168.9 mm
$d_2$	149.57 mm
$D_1$	192.55 mm
$r_{1,2}$ min.	3 mm
$r_{3,4}$ min.	1.1 mm
$d_a$ min.	144 mm
$D_a$ max.	216 mm
$D_b$ max.	222 mm
$r_a$ max.	2.5 mm
$r_b$ max.	1 mm
Basic dynamic load rating $C$	186 kN
Basic static load rating $C_0$	193 kN
Fatigue load limit $P_u$	6.1 kN
Calculation factor A	0.605
Calculation factor $k_r$	0.08
Calculation factor $e$	1.14
Calculation factor $X$	0.35
Calculation factor $Y_0$	0.26
Calculation factor $Y_2$	0.57
Calculation factor $X$	0.57
Calculation factor $Y_0$	0.52



## Bearing import and Export Co., Ltd

Calculation factor $Y_1$	0.55
Calculation factor $Y_2$	0.93
Mass bearing	6.95 kg